

Using Machine Learning for Facial Emotion Expressiveness Rating of Actors

George Xyrafis¹, Anastasios Theodoropoulos², and Christos Tryfonopoulos³

^{1,3}Dept. of Informatics and Telecommunications,
University of the Peloponnese, Tripoli, Greece;
`{dit18138,trifon}@uop.gr`

²Dept. of Performing & Digital Arts,
University of the Peloponnese, Nafplio, Greece;
`ttheodor@uop.gr`

Keywords: Facial Emotion Recognition (FER), Theatrical Acting, Machine Learning for Emotion Detection, Gamified Training for Actors, Affective Computing.

Theatre is a dynamic form of communication designed for both cultural expression and entertainment. Through a combination of voice, movement, and expression, actors work towards bringing stories to life, aiming to communicate the story to the audience and evoke emotional reactions from it. While the overall emotional tone of a production is guided by the director, it is the actors' portrayals that are in direct connection with viewers. By using facial expressions, gestures, body movements, vocal intonations, but also costumes and masks, actors aim to bring out the emotions of their characters, allowing the audience to experience these emotions on a personal level. Recent advances in emotion recognition algorithms [29] offer new possibilities, can bridge the gap between theatrical expressiveness and interactive digital narratives, such as games, and can be applied to enhance character design by creating more nuanced and believable digital characters.

In this work, we aim to investigate the applicability of state-of-the-art computer vision and machine learning approaches to detect and rate actors' facial expressiveness with respect to certain target emotions. Current advances in affective computing [1] have tried to automatically detect and categorise human facial expressions –a task typically referred to as Facial Emotion Recognition (FER) [6, 7, 13]– but this is the first approach to (i) *apply these techniques in a theatrical context* and (ii) *rate how well the actors deliver these emotional expressions*. Our long-term vision is to create a gamified environment in the context of [5, 3, 23], where young actors, with the help of technology, can improve on how to control their facial expressions, convey their feelings to the audience and ultimately improve their acting.

FER uses AI to analyze and classify human facial expressions into emotional categories such as happiness, sadness, anger, and surprise [6, 7, 13]. While FER is commonly applied in fields like education [20, 9, 24] and healthcare [15, 11, 4], its use in theatrical acting is practically unexplored as also acknowledged in [18]. Few attempts to apply affective computing in a theatrical context focus mainly in audience engagement [18, 19], while other lines of work focus on speech [16, 17] and body movements [25] rather than facial features/expressions.

In theatre, where emotional delivery is key to engaging the audience, the ability to detect and rate emotions can offer actors valuable feedback. Our work investigates how FER can assess expressiveness in a theatrical context, allowing actors to refine their emotional delivery. Rather than merely detecting emotions, we aim to rate how well actors convey specific feelings using their facial expressions, offering more detailed insights into performance quality. To do so, we utilize state-of-the-art deep learning algorithms [27, 26] that analyze an actor’s facial expressions in real time. The system classifies these expressions into emotional categories and provides a rating based on criteria such as accuracy, intensity, and expressiveness.

Our approach integrates (i) *Emotion Detection*: identifying and classifying facial expressions into distinct emotions, (ii) *Emotion Rating*: assessing the quality/intensity of these emotions and offering detailed feedback on performance, (iii) *Application in Digital Character Design*: FER insights can be applied to improve the emotional expressiveness of digital avatars in video games, and (iv) *Gamified Training*: creating a training tool where actors can practice and improve their emotional expressiveness through real-time feedback. We currently use a pre-trained model on standardised FER corpora [10, 2, 30, 8, 21, 22, 14] that includes varying image resolutions and contains faces of different ages, genders, and races. However, we plan to extend this model by training it with (i) faces wearing masks of different types [12], (ii) actor facial expressions cropped from video/movie streams [28] and (iii) expressions from actors-in-training (e.g., students in performing acts classes).

In conclusion, FER offers a promising new tool for actors to refine their emotional performances. By analysing and rating emotional expressiveness, this technology will provide feedback that can be used in training environments and applied to digital character design. As AI continues to evolve, FER has the potential to transform both traditional theatre and interactive digital storytelling, creating deeper emotional connections between performers and their audiences. In the domain of game studies, FER can significantly enhance the emotional depth and realism of digital characters. By integrating FER insights, game developers will be able to create more nuanced and believable avatars, which will respond dynamically to player interactions, enrich the player’s immersion, and open new avenues for storytelling in games. Finally, incorporating ML-driven feedback mechanisms into game design will provide real-time emotional responses, fostering a more interactive and emotionally resonant gameplay environment.

References

- [1] S. Afzal, H. A. Khan, M. J. Piran, and J. Lee. A Comprehensive Survey on Affective Computing: Challenges, Trends, Applications, and Future Directions. *IEEE Access*, 12, 2024.
- [2] A. Alameer. Facial Emotion Detection Dataset. https://salford.figshare.com/articles/dataset/Facial_Emotion_Detection_Dataset/22495669, 5 2023.
- [3] A. Antoniou, M. I. Dejonai, and G. Lepouras. Museum Escape: A Game to Increase Museum Visibility. In *Proceedings of the 8th International Conference on Games and Learning Alliance (GALA)*, volume 11899 of *LNCS*. Springer, 2019.
- [4] N. Begum and A. S. Mustafa. Multi-level graded facial emotion intensity recognition using MCANN for health care. *Intelligent Decision Technology*, 17(2), 2023.
- [5] C. Blanco Jessen. Performative game or theatre gamification? what a gameformance is and why interactive theatre should be interested in it. *Estudis Escenics*, 46, December 2021.
- [6] F. Z. Canal, T. R. Müller, J. C. Matias, G. G. Scotton, A. R. de Sa Junior, E. Pozzebon, and A. C. Sobieranski. A survey on facial emotion recognition techniques: A state-of-the-art literature review. *Information Sciences*, 582, 2022.
- [7] C. Dalvi, M. Rathod, S. Patil, S. Gite, and K. Kotecha. A Survey of AI-Based Facial Emotion Recognition: Features, ML & DL Techniques, Age-Wise Datasets and Future Directions. *IEEE Access*, 9, 2021.
- [8] W. Dias, F. Andaló, R. Padilha, G. Bertocco, W. Almeida, P. Costa, and A. Rocha. Cross-dataset emotion recognition from facial expressions through convolutional neural networks. *Journal of Visual Communication and Image Representation*, 82, 2022.
- [9] H. Farman, A. Sedik, M. M. Nasralla, and M. A. Esmail. Facial Emotion Recognition in Smart Education Systems: A Review. In *IEEE International Smart Cities Conference, ISC2*. IEEE, 2023.
- [10] I. J. Goodfellow, D. Erhan, P. L. Carrier, A. Courville, M. Mirza, B. Hamner, W. Cukierski, Y. Tang, D. Thaler, D.-H. Lee, Y. Zhou, C. Ramaiah, F. Feng, R. Li, X. Wang, D. Athanasakis, J. Shawe-Taylor, M. Milakov, J. Park, R. Ionescu, M. Popescu, C. Grozea, J. Bergstra, J. Xie, L. Romaszko, B. Xu, Z. Chuang, and Y. Bengio. Challenges in representation learning: A report on three machine learning contests. <https://www.kaggle.com/datasets/msambare/fer2013/data>, 2013. Last visited on 2024-09-03.

- [11] H. Hadjar, T. Reis, M. X. Bornschlegl, F. C. Engel, P. M. Kevitt, and M. L. Hemmje. Recognition and visualization of facial expression and emotion in healthcare. In *Proceedings of Advanced Visual Interfaces: Supporting Artificial Intelligence and Big Data Applications (AVI-BDA) Workshop*, volume 12585 of *LNCS*. Springer, 2020.
- [12] M. R. Hasan. MaskedFER2023 and MaskedCK+: Face-masked FER2013 and CK+ datasets for mask-aware facial expression recognition. <https://data.mendeley.com/datasets/sp3xssmzbg/1>, 2023. Last visited on 2024-09-03.
- [13] M. Karnati, A. Seal, D. Bhattacharjee, A. Yazidi, and O. Krejcar. Understanding deep learning techniques for recognition of human emotions using facial expressions: A comprehensive survey. *IEEE Transactions on Instrumentation and Measurement*, 72, 2023.
- [14] A. Khodaparast. Emotion detection dataset. https://universe.roboflow.com/alireza-khodaparast/emotion_detection, November 2021. Last visited on 2024-09-03.
- [15] S. R. Mohanta and K. Veer. Trends and challenges of image analysis in facial emotion recognition: a review. *Network Modeling Analysis in Health Informatics and Bioinformatics*, 11(1), 2022.
- [16] M. Moutti, S. Eleftheriou, P. Koromilas, and T. Giannakopoulos. Cross-linguistic speech emotion recognition using cnns: a use-case in greek theatrical data. In *Proceeding of the 15th International ACM Conference on Pervasive Technologies Related to Assistive Environments (PETRA)*, 2022.
- [17] M. Moutti, S. Eleftheriou, P. Koromilas, and T. Giannakopoulos. A dataset for speech emotion recognition in greek theatrical plays. In *Proceedings of the 13th Language Resources and Evaluation Conference (LREC)*, 2022.
- [18] O. M. Rajpurkar, S. S. Kamble, J. P. Nandagiri, and P. J. Bide. A survey on engagement and emotion analysis in theatre using thermal imaging. In *Proceedings of the 4th International Conference on Electronics, Communication and Aerospace Technology (ICECA)*, 2020.
- [19] O. M. Rajpurkar, S. S. Kamble, J. P. Nandagiri, and P. J. Bide. Engagement and emotion analysis in theatre using thermal imaging. In *Proceedings of the 4th Biennial International Conference on Nascent Technologies in Engineering (ICNTE)*, 2021.
- [20] R. Y. Ravenor. AI-Based Facial Emotion Recognition Solutions for Education: A Study of Teacher-User and Other Categories. *Advances in Artificial Intelligence and Machine Learning*, 4(2), 2024.

- [21] Roboflow. Emotion recognition dataset. <https://universe.roboflow.com/vietnamesegerman-university-mavjh/emotion-recognition-rjl9w>, December 2022. Last visited on 2024-09-03.
- [22] Roboflow. Emotion detection dataset. <https://universe.roboflow.com/detection-algorithm-comparison/emotion-detection-tgdyh>, November 2023. Last visited on 2024-09-03.
- [23] J. Rompa, G. Lepouras, A. Antoniou, and J. Pequeno. Nano-Games for Cultural Venues: the HEAL game. *International Journal of Serious Games*, 7(2), 2020.
- [24] X. Ruan, C. Palansuriya, and A. Constantin. Affective Dynamic Based Technique for Facial Emotion Recognition (FER) to Support Intelligent Tutors in Education. In *Proceedings of the 24th International Conference in Artificial Intelligence in Education (AIED)*, volume 13916 of *LNCS*. Springer, 2023.
- [25] S. Senecal, L. Cuel, A. Aristidou, and N. Magnenat-Thalmann. Continuous body emotion recognition system during theater performances. *Computer Animation and Virtual Worlds*, 27(3-4), 2016.
- [26] S. I. Serengil and A. Ozpinar. Lightface: A hybrid deep face recognition framework. In *2020 Innovations in Intelligent Systems and Applications Conference (ASYU)*. IEEE, 2020.
- [27] S. I. Serengil and A. Ozpinar. A Benchmark of Facial Recognition Pipelines and Co-Usability Performances of Modules. *Bilisim Teknolojileri Dergisi*, 17(2), 2024.
- [28] D. Seuss, A. Dieckmann, T. Hassan, J.-U. Garbas, J. H. Ellgring, M. Mortillaro, and K. Scherer. Emotion Expression from Different Angles: A Video Database for Facial Expressions of Actors Shot by a Camera Array. In *Proceedings of the 8th International Conference on Affective Computing and Intelligent Interaction (ACII)*, 2019.
- [29] T. Sompong, C. Piansaddhayanon, and E. Chuangsuwanich. Attribute-Aware Amplification of Facial Feature Sequences for Facial Emotion Recognition. In *IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2024.
- [30] S. Vaidya. Natural human face images for emotion recognition. <https://www.kaggle.com/datasets/sudarshanvaidya/random-images-for-face-emotion-recognition/data>, 2020. Last visited on 2024-09-03.